

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	109	schema same rank\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/06 11:55
S3	7	schema same rank\$2 same input	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/06 12:00
S5	2	"69999963"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/06 12:07
S7	2	"20040006564"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/06 12:09
S8	10510	"natural language"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/06 12:09
S9	166	"natural language" same schema	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/06 12:10
S10	8	"natural language" same schema same rank\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 07:58

S11	2	"09563901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/10 06:48
S12	4	"09325166"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 07:58
S13	2475	704/7 704/9 704/4 704/10 707/03	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 11:42
S14	0	compar\$3 near2 gramm\$6 with fragment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/15 08:22
S15	200	compar\$3 near2 gramm\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/15 08:23
S16	0	compar\$3 near2 gramm\$6 same fragment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/15 08:23
S17	61	compar\$3 near2 gramm\$6 same match \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/15 08:23
S18	36	compar\$3 near2 gramm\$6 with match \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/15 08:23

S19	3	compar\$3 near2 gramm\$6 with match \$3 near2 word	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/15 11:30
S20	3	"09563900"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/15 11:33
S21	3400	McConnell.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/15 11:33
S22	0	(McConnell.in.) and grammer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 15:47
S23	263	(McConnell.in.) and natural	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/15 11:34
S25	19	(McConnell.in.) and natural near2 language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/15 11:35
S26	234	pars\$3 near2 grammatical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 09:33
S27	10	pars\$3 near2 grammatical with token	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 09:56

S28	0	add\$3 near3 token with modif\$4 near2 input	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:00
S29	0	add\$3 near3 token same modif\$4 near2 input	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:02
S30	84	add\$3 near3 token same modif\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:02
S31	37	add\$3 near3 token with modif\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:45
S32	2	add\$3 near3 token with modif\$4 with input	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:02
S33	3	add\$3 near3 token with modif\$4 same input	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 10:45
S34	0	parse near2 grammatical with identify\$3 near2 token	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 13:05
S35	1	parse near2 grammatical with token	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 13:05

S36	1	Modif\$3 near2 input with fragment with generat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 14:11
S37	13851	Modif\$3 near2 input	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 14:11
S38	26	Modif\$3 near2 input and (fragment with analyz\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 14:23
S39	0	Modif\$3 near2 input and (fragment with analyz\$3 with generat \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 14:22
S40	1	Modif\$3 near2 input and (fragment with analyz\$3 same generat \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 14:22
S41	53	rank\$3 near2 interpretat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 14:31
S42	3	rank\$3 near2 interpretat\$4 with generat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 14:31
S43	53	rank\$3 near2 interpretation\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 14:54

S44	6	rank\$3 near2 interpretation\$ and modif\$4 near2 input	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 15:28
S45	2	rank\$3 near2 interpretation\$ with fragment\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 15:29
S46	57	(christopher near2 McConnell).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 15:38
S47	0	(modif\$3 near2 input with rank\$3 near2 interpretation with fragment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 15:49
S48	0	(modif\$3 near2 input same rank\$3 near2 interpretation same fragment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 15:49
S49	0	(modif\$3 near2 input same rank\$3 near2 interpretation same fragment).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 15:50
S50	0	(modif\$3 near3 input same rank\$3 near2 interpretation same fragment).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 15:50
S51	0	(modif\$3 near3 input and rank\$3 near2 interpretation and fragment).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 15:51

S52	2	modif\$3 near3 input and rank\$3 near2 interpretation and fragment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 15:51
S53	2	modif\$3 near3 input and rank\$3 near2 interpretation and fragment and compatible	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 15:53
S54	0	modif\$3 near3 input and rank\$3 near2 interpretation and fragment and compatible and grammatical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 15:52
S55	0	modif\$3 near3 input and rank\$3 near2 interpretation and fragment and compatible and grammat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 15:52
S56	0	search near2 result with pluarlity near2 provider	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 08:26
S57	0	search near2 result same pluarlity near2 provider	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 08:25
S58	9	search near2 result with plurality near2 provider	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 08:29
S59	9	search near3 result with plurality near2 provider	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 08:29

S60	15	search near3 result with plurality near3 provider	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 08:35
S61	26704	search near3 result same plurality near3 provider	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 08:35
S62	21	search near3 result same plurality near3 provider	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 08:35
S63	53	rank\$3 near2 (interpretation interpretations)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:20
S64	1	rank\$3 near2 (interpretation interpretations) with execut\$3 near2 command	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:18
S65	1	rank\$3 near2 (interpretation interpretations) same execut\$3 near2 command	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:18
S66	1	rank\$3 near2 (interpretation interpretations) with execut\$3 near2 command	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:18
S67	1	rank\$3 near2 (interpretation interpretations) with execut\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:18

S68	7	rank\$3 near2 (interpretation interpretations) and execut\$3 near2 command	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:18
S69	5	rank\$3 near2 (interpretation interpretations) with plurality	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:22
S70	7	rank\$3 near2 (interpretation interpretations) same plurality	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:22
S71	34693	receiv\$3 near2 parameter\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 12:04
S72	0	receiv\$3 near2 parameter\$with expansion near2 policy and interpretation near3 policy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 12:05
S73	0	receiv\$3 near2 parameter\$with expansion near2 policy and interpretation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 12:06
S74	39	receiv\$3 near2 parameter\$with expansion near2 policy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 12:07
S75	0	receiv\$3 near2 parameter\$ with expansion near2 policy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 12:07

S76	29	receiv\$3 near2 parameter\$ with expansion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 12:08
S77	0	receiv\$3 near2 parameter\$ with expansion and interpretation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 12:08
S78	29	receiv\$3 near2 parameter\$ with expansion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 12:11
S79	0	receiv\$3 near2 parameter\$ with expansion near3 policy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 12:12
S80	12	receiv\$3 near2 parameter\$ and expansion near3 policy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 12:14
S81	0	receiv\$3 near2 parameter\$ and expansion near3 policy and interpretation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 12:12
S82	13	receiv\$3 near2 parameter\$ and expansion with policy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 12:15
S83	3288	receiv\$3 near3 parameter\$ and interpretation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 12:16

S84	440	receiv\$3 near3 parameter\$ and interpretation and policy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 12:18
S85	0	receiv\$3 near3 parameter\$ and interpretation and policy near3 expansion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 12:16
S86	35	receiv\$3 near3 parameter\$ and interpretation and policy and rank	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 12:18
S87	26	receiv\$3 near3 parameter\$ and interpretation and policy and rank and token	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 12:20
S88	19	receiv\$3 near3 parameter\$ and interpretation and policy and rank and token and provider	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 12:20
S89	19	receiv\$3 near3 parameter\$ and interpretation and policy and rank and token and provider and search	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 12:20
S90	0	receiv\$3 near3 parameter\$ and interpretation and policy and rank and token and provider and search near2 result	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 12:21
S91	19	receiv\$3 near3 parameter\$ and interpretation and policy and rank and token and provider and search and schema	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 12:21

S92	19	receiv\$3 near3 parameter\$ and interpretation and policy and rank and token and provider and search and schema and modif\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 12:21
S93	0	receiv\$3 near3 parameter\$ and interpretation and policy and rank and token and provider and search and schema and modif\$4 near3 input	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 12:22
S94	28	receiv\$3 near3 parameter\$ and interpretation and policy and rank and token and provider and search and schema and modif\$4 execut@ near3 command	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 12:22
S95	55153	receiv\$3 near3 parameter\$ and interpretation and policy and rank and token and provider and search and schema and modif\$4 execut\$3 near3 command	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 12:23
S96	9	receiv\$3 near3 parameter\$ and interpretation and policy and rank and token and provider and search and schema and modif\$4 and execut\$3 near3 command	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 12:25
S97	0	"10822499"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 09:47

9/ 8/ 2008 12:23:56 PM

C:\Documents and Settings\fkhooshnoodi\My Documents\EAST\Workspaces\10822499.wsp